

Cable Assemblies



Specialist Manufacturers of Connectors and Cable Assemblies

High Definition Multimedia Interface



Series:HDMI FLAT CABLE
 Exterior:PVC MOLDING
 Spec:24/26/28/30 AWG
 Color:BLACK
 Cable Approval:UL
 Connector Approval:HDMI



Series:HDMI-DVI
 Exterior:PVC MOLDING
 Spec:24/26/28/30 AWG
 Color:WHITE
 Cable Approval:UL
 Connector Approval:HDMI



Series:HDMI CABLE
 Exterior:ZINC ALLOY GOLD PLATED OR PEARL SILVER COLOR
 Spec:28/30 AWG
 Color:NYLON BRAID, COLOR OPTIONS
 Cable Approval:UL
 Connector Approval:HDMI



Series:HDMI CABLE
 Exterior:ALUMINUM SHELL
 Spec:28/30 AWG
 Color:GOLD
 Cable Approval:UL
 Connector Approval:HDMI



Series:HDMI MALE-FEMALE
 Exterior:PVC MOLDING
 Spec:28/30 AWG
 Color:BLACK
 Cable Approval:UL
 Connector Approval:HDMI



Series:HDMI-MALE-HDMI FEMALE X2
 Exterior:PVC MOLDING
 Spec:28/30 AWG 1.3a
 Color:BLACK
 Cable Approval:UL
 Connector Approval:HDMI



Series:HDMI-MINI HDMI
 Exterior:PVC MOLDING
 Spec:28/30 AWG 1.3a
 Color:BLACK
 Cable Approval:UL
 Connector Approval:HDMI



Series:HDMI MULTIMEDIA CABLE
 Exterior:PVC MOLDING
 Spec:28/30 AWG
 Color:BLACK
 Cable Approval:UL
 Connector Approval:HDMI



Series:HDMI-RCA X5
 Exterior:PVC MOLDING+FILTER
 Spec:28 AWG
 Color:BLACK
 Cable Approval:UL
 Connector Approval:HDMI



Series:HDMI-RCA X3-MINI DIN
 Exterior:PVC MOLDING+FILTER
 Spec:28 AWG
 Color:BLACK
 Cable Approval:UL
 Connector Approval:HDMI



Series:HDMI-SCART
 Exterior:PVC MOLDING+2 FILTER
 Spec:28 AWG
 Color:BLACK
 Cable Approval:UL
 Connector Approval:HDMI



Series:HDMI-VGA-RCA
 Exterior:PVC MOLDING+2 FILTER
 Spec:28/30 AWG
 Color:BLACK
 Cable Approval:UL
 Connector Approval:HDMI

Digital Visual Interface



Series:DVI-DVI MALE/MALE
 Exterior:PVC MOLDING+2 FILTER
 Spec:28/30 AWG
 Color:BEIGE/OPTIONS
 Cable Approval:UL
 Connector Approval:UL



Series:DVI-VGA
 Exterior:PVC MOLDING+2 FILTER
 Spec:28/30 AWG
 Color:BLACK/OPTIONS
 Cable Approval:UL
 Connector Approval:UL



Series:DVI I MALE/DVI I FEMALE
 Exterior:PVC MOLDING+2 FILTER
 Spec:28/30 AWG
 Color:BLACK/OPTIONS
 Cable Approval:UL
 Connector Approval:UL



Series:DVI-DVI 90 MALE/MALE
 Exterior:PVC MOLDING+2 FILTER
 Spec:28/30 AWG
 Color:BLACK/OPTIONS
 Cable Approval:UL
 Connector Approval:UL



Series:DVI-VGA
 Exterior:ZINC ALLOY GOLD PLATED OR PEARL SILVER COLOR
 Spec:28/30 AWG
 Color:NYLON BRAID, COLOR OPTIONS
 Cable Approval:UL
 Connector Approval:UL



Series:DVI-DVI-VGA-RCA X3
 Exterior:PVC MOLDING
 Spec:28/30 AWG
 Color:BLACK/OPTIONS
 Cable Approval:UL
 Connector Approval:UL



Series:M1 30+5-M1 30+5
 Exterior:PVC MOLDING
 Spec:28/30 AWG
 Color:BLACK/OPTIONS
 Cable Approval:UL
 Connector Approval:UL

Adapter Series



Series:USB A/MALE-MINI USB/FEMALE
 Exterior:PVC MOLDING
 Spec:USB/A-MIN USB
 Color:OPTIONS
 Connector Approval:UL



Series:USB A/M-USB B/F,USB A/F-USB B/F
 USB A/M-USB B/M,USB A/F-USB A/F
 Exterior:PVC MOLDING
 Spec:USB /A-USB/B
 Color:OPTIONS
 Connector Approval:UL



Series:USB A/MALE-MINI USB/FEMALE
 USB A/MALE-MINI USB/MALE
 Exterior:PVC MOLDING
 Spec:USB-A/MALE-MINI USB
 Color:OPTIONS
 Connector Approval:UL



Series:DVI/F-HPCN/F,DVI/F-DB15/F
 DVI/F-DVI/M
 Exterior:PVC MOLDING
 Spec:DVI-HDB 15 OR DVI-DVI
 Color:OPTIONS
 Connector Approval:UL



Series:DVI/MALE-DVI/FEMALE
 DVI/FEMALE-HDMI/MALE
 Exterior:PVC MOLDING
 Spec:DVI-HDMI
 Color:OPTIONS
 Connector Approval:UL



Series:HDMI/M-HDMI/M-HDMI/M-HDMI/F
HDMI/F-MINI HDMI
 Exterior:PVC MOLDING
 Spec:HDMI-HDMI
 Color:OPTIONS
 Connector Approval:UL



Series:IEEE1394-6F-IEEE1394-6F
 Exterior:PVC MOLDING
 Spec:IEEE1394-IEEE1394
 Color:OPTIONS
 Connector Approval:UL



Series:V.35/F-DB25/M,V.35/M-DB36/F
V.35/M-V.35/F
 Exterior:PVC MOLDING
 Spec:V.35-DB25
 Color:OPTIONS
 Connector Approval:UL



Series:DB25/M-HDB15/F,DB25/F-HDB/M
DB25/F-DB25/M
 Exterior:PVC MOLDING
 Spec:DB25-DB9
 Color:OPTIONS
 Connector Approval:UL



Series:DB9/M/F-MINI DIN M/F
 Exterior:PVC MOLDING
 Spec:DB25-DB9
 Color:OPTIONS
 Connector Approval:UL

Serial ATA Series



Series:SATA 7PIN-SATA PIN
 Exterior:PVC MOLDING
 Spec:26 AWG
 Color:RED
 Cable Approval:UL
 Connector Approval:UL



Series:SATA 7PIN-SATA 7PIN
 Exterior:PVC MOLDING
 Spec:26 AWG
 Color:RED
 Cable Approval:UL
 Connector Approval:UL



Series:SATA 7PIN/M-SATA 7PIN/F
 Exterior:PVC MOLDING
 Spec:26 AWG
 Color:RED
 Cable Approval:UL
 Connector Approval:UL



Series:SATA 7PIN+MATEL BRACKET
 Exterior:PVC MOLDING
 Spec:26 AWG
 Color:RED
 Cable Approval:UL
 Connector Approval:UL



Series:ESATA L TYPE
 Exterior:PVC MOLDING
 Spec:26 AWG
 Color:OPTIONS
 Cable Approval:UL
 Connector Approval:UL



Series:SATA 22PIN-SATA 7PIN-4PIN POWER
 Exterior:PVC MOLDING
 Spec:26/18 AWG
 Color:RED
 Cable Approval:UL
 Connector Approval:UL



Series:SATA 15PIN-SATA 15PIN
 Exterior:PVC MOLDING
 Spec:18 AWG
 Color:3 COLORS
 Cable Approval:UL
 Connector Approval:UL



Series:SATA 22PIN-SATA 22PIN
 Exterior:PVC MOLDING
 Spec:18 AWG
 Color:3 COLORS
 Cable Approval:UL
 Connector Approval:UL



Series:SAS 32PIN-7PIN X4
 Exterior:PVC MOLDING
 Spec:26 AWG
 Color:RED
 Cable Approval:UL
 Connector Approval:UL

Flat Cable Series



Series:ATA 100 FLAT CABLE
 Exterior:BLUE-GRAY-BLACK ASSEMBLY
 Spec:30 AWG
 Color:YELLOW
 Cable Approval:UL
 Connector Approval:UL



Series:IDC 133 CABLE
 Exterior:BLUE-BLACK
 Spec:30 AWG
 Color:OPTIONS
 Cable Approval:UL
 Connector Approval:UL



Series:ATA 133 CABLE
 Exterior:BLUE-GRAY-BLACK ASSEMBLY
 Spec:30 AWG
 Color:BLUE/OPTIONS
 Cable Approval:UL
 Connector Approval:UL



Series:IDC-SCSI
 Exterior:ASSEMBLY
 Spec:28 AWG
 Color:GRAY
 Cable Approval:UL
 Connector Approval:UL



Series:2.5"-3.5" CABLE
 Exterior:ASSEMBLY
 Spec:28 AWG
 Color:GRAY
 Cable Approval:UL
 Connector Approval:UL



Series:IDC FLAT CABLE
 Exterior:IDC-DB9PIN+METAL BRACKET
 Spec:28 AWG
 Color:GRAY
 Cable Approval:UL
 Connector Approval:UL



Series:IDC-HOUSING
 Exterior:ASSEMBLY
 Spec:28 AWG
 Color:MULTI COLORED
 Cable Approval:UL
 Connector Approval:UL

Universal Serial Bus Series



Series:USB A/M-USB A/M,USB A/M-USB B/M,USB A/M-USB-A/F
 Exterior:PVC MOLDING
 Spec:24/28 AWG OR 28/28 AWG
 Color:OPTIONS
 Cable Approval:UL
 Connector Approval:UL



Series:USB-A-M-USB-B-M 90°
 Exterior:PVC MOLDING
 Spec:24/28 AWG OR 28/28 AWG
 Color:OPTIONS
 Cable Approval:UL
 Connector Approval:UL



Series:USB-A-M-USB-B-M 90°
 Exterior:PVC MOLDING
 Spec:24/28 AWG OR 28/28 AWG
 Color:OPTIONS
 Cable Approval:UL
 Connector Approval:UL



Series:USB-A-M-MICRO USB
 Exterior:PVC MOLDING
 Spec:24/28 AWG OR 28/28 AWG
 Color:OPTIONS
 Cable Approval:UL
 Connector Approval:UL



Series:USB-A-F X2-USB-A-F X2
 Exterior:PVC MOLDING
 Spec:24/28 AWG OR 28/28 AWG
 Color:OPTIONS
 Cable Approval:UL
 Connector Approval:UL



Series:USB-A-F+METAL BRACKET
 Exterior:PVC MOLDING
 Spec:24/28 AWG OR 28/28 AWG
 Color:OPTIONS
 Cable Approval:UL
 Connector Approval:UL



Series:USB-B-M-USB-B-F
 Exterior:PVC MOLDING
 Spec:24/28 AWG OR 28/28 AWG
 Color:OPTIONS
 Cable Approval:UL
 Connector Approval:UL



Series:USB-A-F X4+METAL BRACKET
 Exterior:PVC MOLDING
 Spec:24/28 AWG OR 28/28 AWG
 Color:OPTIONS
 Cable Approval:UL
 Connector Approval:UL



Series:USB-A-F-MINI USB 5P-ADAPTOR
 Exterior:PVC MOLDING
 Spec:24/28 AWG OR 28/28 AWG
 Color:OPTIONS
 Cable Approval:UL
 Connector Approval:UL

IEEE 1394 Series



Series:IEEE1394 6PIN-IEEE1394 6PIN
 Exterior:PVC MOLDING
 Spec:22/30 AWG OR 22/28 AWG
 Color:OPTIONS
 Cable Approval:UL
 Connector Approval:UL



Series:IEEE1394 6PIN-IEEE1394 4PIN
 Exterior:PVC MOLDING
 Spec:22/30 AWG OR 22/28 AWG
 Color:OPTIONS
 Cable Approval:UL
 Connector Approval:UL



Series:IEEE1394 6PIN M-IEEE1394 6PIN F
 Exterior:PVC MOLDING
 Spec:22/30 AWG OR 22/28 AWG
 Color:OPTIONS
 Cable Approval:UL
 Connector Approval:UL



Series:IEEE1394 6PIN M-IEEE1394 6PIN F
 Exterior:PVC MOLDING
 Spec:22/30 AWG OR 22/28 AWG
 Color:OPTIONS
 Cable Approval:UL
 Connector Approval:UL



Series:IEEE1394 6PIN-HOUSING
 Exterior:PVC MOLDING
 Spec:22/30 AWG
 Color:OPTIONS
 Cable Approval:UL
 Connector Approval:UL



Series:IEEE1394 6-9PIN-IEEE1394 4PIN
 Exterior:PVC MOLDING
 Spec:26/30 AWG
 Color:OPTIONS
 Cable Approval:UL
 Connector Approval:UL



Series:IEEE1394 6PIN-IEEE1394 6PIN
 Exterior:PVC MOLDING
 Spec:22/30 AWG OR 22/28 AWG
 Color:OPTIONS
 Cable Approval:UL
 Connector Approval:UL



Series:IEEE1394 6PIN-IEEE1394 4PIN
 Exterior:PVC MOLDING
 Spec:22/30 AWG OR 22/28 AWG
 Color:OPTIONS
 Cable Approval:UL
 Connector Approval:UL

NetWork LAN Series



Series:8P8C-8P8C CABLE
 Exterior:ASSEMBLY BOOT
 Spec:24/26 AWG
 Color:OPTIONS
 Cable Approval:UL
 Connector Approval:UL



Series:8P8C-8P8C(CATS CAT5E CAT6)
 Exterior:PVC MOLDING
 Spec:24/26 AWG
 Color:OPTIONS
 Cable Approval:UL
 Connector Approval:UL



Series:8P8C-8P8C(CATS CAT5E CAT6)
 Exterior:ASSEMBLY BOOT
 Spec:24/26 AWG
 Color:OPTIONS
 Cable Approval:UL
 Connector Approval:UL



Series:8P8C-8P8C FLAT CABLE
 Exterior:ASSEMBLY
 Spec:24/30 AWG
 Color:OPTIONS
 Cable Approval:UL
 Connector Approval:UL



Series:8P8C-8P8C(SHIELD)(CAT5 CAT5E CAT6)
 Exterior:ASSEMBLY
 Spec:24/26 AWG
 Color:OPTIONS
 Cable Approval:UL
 Connector Approval:UL



Series:8P8C-8P8C(SHIELD)(CAT5 CAT5E CAT6)
 Exterior:PVC BOOT
 Spec:24/26 AWG
 Color:OPTIONS
 Cable Approval:UL
 Connector Approval:UL



Series:8P8C-8P8C(SHIELD)(CAT5 CAT5E CAT6)
 Exterior:PVC MOLDING
 Spec:24/26 AWG
 Color:OPTIONS
 Cable Approval:UL
 Connector Approval:UL



Series:8P8C-8P8C FEMALE
 Exterior:PVC MOLDING
 Spec:24/26 AWG
 Color:OPTIONS
 Cable Approval:UL
 Connector Approval:UL



Series:8P8C-8P8C
 Exterior:PVC MOLDING
 Spec:26 AWG
 Color:OPTIONS
 Cable Approval:UL
 Connector Approval:UL



Series:10P10C-USB-A-MALE
 Exterior:PVC MOLDING
 Spec:26 AWG
 Color:OPTIONS
 Cable Approval:UL
 Connector Approval:UL

SCSI Cable Series



**Series:HPCN20P-HPCN20P,HPCN36P-HPCN36P
HPCN50P-HPCN50P,HPCN68P-HPCN68P**
Exterior:PVC MOLDING
Spec:28/30 AWG
Color:OPTIONS
Cable Approval:UL
Connector Approval:UL



**Series:HPCN14P-HPCN14P,HPCN36P-HPCN36P
HPCN50P-HPCN50P,HPCN68P-HPCN68P**
Exterior:ASSEMBLY
Spec:28 AWG
Color:BEIGE
Cable Approval:UL
Connector Approval:UL



Series:HDB50P-HPDB50P
Exterior:PVC MOLDING
Spec:26 AWG
Color:OPTIONS
Cable Approval:UL
Connector Approval:UL



**Series:HPDB50P-HPDB50P,HPDB26P-HPDB26P
HPDB36P-HPDB36P,HPDB68P-HPDB68P**
Exterior:PVC MOLDING
Spec:28/30 AWG
Color:OPTIONS
Cable Approval:UL
Connector Approval:UL



**Series:HDB50P-VHDCI68P
HDB68P-VHDCI68P**
Exterior:PVC MOLDING
Spec:28/30 AWG
Color:OPTIONS
Cable Approval:UL
Connector Approval:UL



**Series:VHDCI68P-VHDCI68P
VHDCI50P-VHDCI50P**
Exterior:PVC MOLDING+FILTER
Spec:30 AWG
Color:OPTIONS
Cable Approval:UL
Connector Approval:UL



Series:V.35-DB25P X2
Exterior:PVC MOLDING
Spec:28/30 AWG
Color:OPTIONS
Cable Approval:UL
Connector Approval:UL



**Series:HPCN26P-HPCN26P,HPCN36P-HPCN36P
HPCN50P-HPCN50P,HPCN68P-HPCN68P**
Exterior:PVC MOLDING+2FILTER
Spec:28/30 AWG
Color:OPTIONS
Cable Approval:UL
Connector Approval:UL

Computer Cable Series



Series:HDB15PIN/DB9PIN-HDB15PIN/DB9PIN
Exterior:ASSEMBLY HOOD+FILTER
Spec:28/30 AWG
Color:OPTIONS
Cable Approval:UL OR NO UL
Connector Approval:UL



Series:HDB15PIN-HDB15PIN
Exterior:PVC MOLDING+FILTER
Spec:28/30 AWG
Color:OPTIONS
Cable Approval:UL OR NO UL
Connector Approval:UL



Series:DB25PIN/HDB15PIN/DB9PIN
Exterior:PVC MOLDING
Spec:28/30 AWG
Color:OPTIONS
Cable Approval:UL OR NO UL
Connector Approval:UL



Series:HDB15PIN/DB9PIN-DB25PIN
Exterior:ASSEMBLY
Spec:28/30 AWG
Color:OPTIONS
Cable Approval:UL OR NO UL
Connector Approval:UL



Series:DB25PIN/DB37PIN-DB25PIN/DB37PIN
Exterior:PVC MOLDING
Spec:28/30 AWG
Color:OPTIONS
Cable Approval:UL OR NO UL
Connector Approval:UL



Series:DB25PIN-DB25PIN
Exterior:PVC MOLDING
Spec:28/30 AWG
Color:OPTIONS
Cable Approval:UL OR NO UL
Connector Approval:UL



Series:DB36PIN/DB50PIN-DB36PIN/DB50PIN
Exterior:ASSEMBLY
Spec:28/30 AWG
Color:OPTIONS
Cable Approval:UL OR NO UL
Connector Approval:UL



Series:CN36/50PIN-DB25/37PIN
Exterior:PVC MOLDING
Spec:28/30 AWG
Color:OPTIONS
Cable Approval:UL OR NO UL
Connector Approval:UL



Series:MINI DIN 3PIN-MINI DIN 8PIN
Exterior:PVC MOLDING
Spec:28/30 AWG
Color:OPTIONS
Cable Approval:UL OR NO UL
Connector Approval:UL



Series:MINI DIN 3PIN-MINI DIN 8PIN
Exterior:PVC MOLDING
Spec:28/30 AWG
Color:OPTIONS
Cable Approval:UL OR NO UL
Connector Approval:UL



Series:MINI DIN 3PIN-MINI DIN 8PIN
Exterior:PVC MOLDING
Spec:28/30 AWG
Color:OPTIONS
Cable Approval:UL OR NO UL
Connector Approval:UL



Series:MINI DIN 3PIN-MINI DIN 8PIN
Exterior:PVC MOLDING
Spec:28/30 AWG
Color:OPTIONS
Cable Approval:UL OR NO UL
Connector Approval:UL



Series:MINI DIN 3PIN-MINI DIN 8PIN
Exterior:PVC MOLDING
Spec:28/30 AWG
Color:OPTIONS
Cable Approval:UL OR NO UL
Connector Approval:UL



Series:MINI DIN 3PIN-MINI DIN 8PIN
Exterior:PVC MOLDING
Spec:28/30 AWG
Color:OPTIONS
Cable Approval:UL OR NO UL
Connector Approval:UL



Series:MINI DIN 3PIN-MINI DIN 8PIN
Exterior:PVC MOLDING
Spec:28/30 AWG
Color:OPTIONS
Cable Approval:UL OR NO UL
Connector Approval:UL

VGA Cable Series



Series:HDB15M/F-HDB15M/F
Exterior:PVC MOLDING
Spec:28/30 AWG
Color:OPTIONS
Cable Approval:UL
Connector Approval:UL



Series:HDB15M/F-HDB15M/F
 Exterior:PVC MOLDING+FILTER
 Spec:28/30 AWG
 Color:OPTIONS
 Cable Approval:UL
 Connector Approval:UL



Series:HDB15M/F-HDB15M/F
 Exterior:PVC MOLDING+FILTER
 Spec:28/30 AWG
 Color:OPTIONS
 Cable Approval:UL
 Connector Approval:UL



Series:HDB15M/F-HDB15M/F
 Exterior:PVC MOLDING
 Spec:28/30 AWG
 Color:OPTIONS
 Cable Approval:UL
 Connector Approval:UL



Series:HDB15M/F-HDB15M/F
 Exterior:PVC MOLDING+FILTER
 Spec:28/30 AWG
 Color:OPTIONS
 Cable Approval:UL
 Connector Approval:UL



Series:HDB15M/F-HDB15M/F
 Exterior:PVC MOLDING+2FILTER
 Spec:28/30 AWG
 Color:OPTIONS
 Cable Approval:UL
 Connector Approval:UL



Series:HDB15M/F-HDB15M/F
 Exterior:PVC MOLDING
 Spec:28/30 AWG
 Color:OPTIONS
 Cable Approval:UL
 Connector Approval:UL

KVM Series



Series:VGA+PS II
 Exterior:PVC MOLDING+FILTER
 Spec:28/30 AWG
 Color:OPTIONS
 Cable Approval:UL
 Connector Approval:UL



Series:DVI+PS II
 Exterior:PVC MOLDING+2FILTER
 Spec:28/30 AWG
 Color:OPTIONS
 Cable Approval:UL
 Connector Approval:UL



Series:VGA+PS II
 Exterior:PVC MOLDING
 Spec:28/30 AWG
 Color:OPTIONS
 Cable Approval:UL
 Connector Approval:UL



Series:VGA+PS II
 Exterior:PVC MOLDING
 Spec:28/30 AWG
 Color:OPTIONS
 Cable Approval:UL
 Connector Approval:UL



Series:VGA+PS II +SPK+MIC
 Exterior:PVC MOLDING
 Spec:28/30 AWG
 Color:OPTIONS
 Cable Approval:UL
 Connector Approval:UL



Series:VGA+PS II +SPK+MIC
 Exterior:PVC MOLDING+2FILTER
 Spec:28/30 AWG
 Color:OPTIONS
 Cable Approval:UL
 Connector Approval:UL



Series:VGA+PS II
 Exterior:PVC MOLDING+2FILTER
 Spec:28/30 AWG
 Color:OPTIONS
 Cable Approval:UL
 Connector Approval:UL



Series:VGA+PS II
 Exterior:PVC MOLDING+2FILTER
 Spec:28/30 AWG
 Color:OPTIONS
 Cable Approval:UL
 Connector Approval:UL



Series:VGA+PS II MIC HOUSING
 Exterior:PVC MOLDING
 Spec:28/30 AWG
 Color:OPTIONS
 Cable Approval:UL
 Connector Approval:UL

RF Series



Series:F SERIES PLUG-JACK
 Exterior:PVC MOLDING
 Spec:RG 6/U
 Color:BLACK
 Cable Approval:UL
 Connector Approval:UL



Series:BNC-SMA
 Exterior:PVC MOLDING
 Spec:RG 58A/U
 Color:BLACK
 Cable Approval:UL
 Connector Approval:UL



Series:SMB PLUG SMB-PLUG
 Exterior:PVC MOLDING
 Spec:26 AWG(RG 174)
 Color:BLACK
 Cable Approval:UL
 Connector Approval:UL



Series:SMB PLUG SMB-PLUG
 Exterior:PVC MOLDING
 Spec:RG 58/U
 Color:BLACK
 Cable Approval:UL
 Connector Approval:UL



Series:BNC FEMALE-MCX MALE
 Exterior:PVC MOLDING
 Spec:RG 179B/U
 Color:BLACK
 Cable Approval:UL
 Connector Approval:UL

Wire Harness Series



Series:PITCH3.96mm WIRE HARNESS
 Exterior:ASSEMBLY
 Spec:18 AWG
 Color:OPTIONS
 Cable Approval:UL
 Connector Approval:UL



Series:PITCH2.54mm WIRE HARNESS
 Exterior:ASSEMBLY
 Spec:26 AWG
 Color:GREEN-YELLOW
 Cable Approval:UL
 Connector Approval:UL



Series:PITCH20/1.25mm WIRE HARNESS
 Exterior:ASSEMBLY
 Spec:28/30 AWG
 Color:OPTIONS
 Cable Approval:UL
 Connector Approval:UL



Series:PITCH2.54mm WIRE HARNESS
 Exterior:ASSEMBLY
 Spec:28/30 AWG
 Color:OPTIONS
 Cable Approval:UL
 Connector Approval:UL



Series:PITCH5-84mm WIRE HARNESS
Exterior:ASSEMBLY
Spec:18 AWG
Color:RED/BLACK
Cable Approval:UL
Connector Approval:UL



Series:PITCH2.54/2.00mm WIRE HARNESS
Exterior:ASSEMBLY
Spec:28/30 AWG
Color:OPTIONS
Cable Approval:UL
Connector Approval:UL



Series:PITCH2.54/2.00mm WIRE HARNESS
Exterior:ASSEMBLY
Spec:24 AWG
Color:OPTIONS
Cable Approval:UL
Connector Approval:UL

Audio/Video Cable Series



Series:STEREO 3.5/2.5-STEREO 3.5/2.5
Exterior:PVC MOLDING
Spec:28/30 AWG
Color:OPTIONS
Cable Approval:UL OR NO UL
Connector Approval:UL



Series:STEREO 3.5-STEREO 3.5
Exterior:PVC MOLDING
Spec:28/30 AWG
Color:OPTIONS
Cable Approval:UL OR NO UL
Connector Approval:UL



Series:STEREO-SENSOR
Exterior:PVC MOLDING
Spec:28/30 AWG
Color:OPTIONS
Cable Approval:UL OR NO UL
Connector Approval:UL



Series:HDB15P/DB9P-STEREO
Exterior:PVC MOLDING
Spec:28/30 AWG
Color:OPTIONS
Cable Approval:UL OR NO UL
Connector Approval:UL



Series:STEREO/MONO PLUG-STEREO/MONO PLUG
Exterior:PVC MOLDING
Spec:28/30 AWG
Color:OPTIONS
Cable Approval:UL OR NO UL
Connector Approval:UL



Series:STEREO-STEREO FEMALE X2
Exterior:PVC MOLDING
Spec:28/30 AWG
Color:OPTIONS
Cable Approval:UL OR NO UL
Connector Approval:UL



Series:STEREO X2-STEREO X2
Exterior:PVC MOLDING
Spec:28/30 AWG
Color:OPTIONS
Cable Approval:UL OR NO UL
Connector Approval:UL



Series:STEREO-RCA X3
Exterior:PVC MOLDING
Spec:28/30 AWG
Color:OPTIONS
Cable Approval:UL OR NO UL
Connector Approval:UL



Series:DC PLUG-DC PLUG
Exterior:PVC MOLDING
Spec:28/30 AWG
Color:OPTIONS
Cable Approval:UL OR NO UL
Connector Approval:UL

SAS Cable Series



Host base External
4X SFF-8470



Target base External
4x SFF-8470



Target base 4
x Internal 7Pin



Host base 4
x Internal 7 Pin



Target base Internal 4i
MultiLane SFF-8484



Host base Internal 4i
MultiLane SFF-8484



Host base Internal 4i
MultiLane 90° SFF-8484



Target base External
4X SFF-8470



Host base Internal 4i
MultiLane 90° SFF-8484



Target base 4 x 2Port 29P
driver Conn. with power Conn.



Host base Internal 4i
MultiLane SFF-8484



Target base Internal 4i
MultiLane SFF-8484



Target base 4
x Internal 7 Pin



Host base 4 x 7Pin with
latch SFF-8470



Target base Internal 4i
MultiLane SFF-8484



Host base Internal 4i
MultiLane SFF-8484(Sideband)



4 x 7Pin and 10Pin side
band connector



Host base Internal 4i
MultiLane SFF-8484



Host baseSFF-8088 26-CKT
External Universal Key



Target baseSFF-8088 26-CKT
External Universal Key



Target baseSFF-8087 36-CKT
Internal(with out side band)



Host baseSFF-8087 36-CKT
Internal(with out side band)



Target baseSFF-8088 26-CKT
External Universal Key



Target base4 x SATA 7Pin
Round type shield Cable Conn.



Host base4 x SATA 7Pin
Round type shield Cable Conn.



Host baseSFF-8087 36-CKT
Internal(with side band)



Target baseSFF-8482 4 x 29P
driver Conn. with power Conn.



Target baseSFF-8484 4i 32P
MultiLane(with side band)



Host baseSFF-8484 4i 32P
MultiLane(with side band)



Target baseSFF-8087 36-CKT
Internal(with side band)



Target base SFF-8484 4i 32P
MultiLane 90° (with side band)



Host base SFF-8484 4i 32P
MultiLane 90° (with side band)



Target base 4 x 7Pin SATA



Host base 4 x 7Pin SATA



Target baseSFF-8087 36-CKT
Internal(with out side band)



Host baseSFF-8087 36-CKT
Internal

Displayport Cable Series



The Displayport is designed for internal and external system solution for high bandwidth audio and video data transfer in the notebook and PC market.

TECHNICAL SPECIFICATIONS:

- 10.2 Gbit/s forward link channel supports high resolution monitors,2560x1600,with sing cable.
- 88/108 data transmission.
- Open and extensible standard to help with broad adoption.
- Supports color depth of 6, 8, 10, 12 and 16 bits per component.
- Full bandwidth transmission for 3 meter cable.
- Reduced bandwidth transmission, 1080p, for 15 meter cable.
- Displayport connector assists in blend connection by just feeling.
- 128-bit AES displayport content protection(DPDP)support,and support for 40-bit high-bandwidth digital content protection(HDCP) from version 1.1 onwards.

Displayport Cable Series



Series:HDMI Extender

Exterior:Zinc Alloy Gold Plated Pearl Silver Color

Spec:Boosts your HDMI signal up to 150 feet. Extends your cable reach for: PC'S, DVD'S,Projectors,HDTV'S, HD Optical Media Players.Easy to use Plug and play. Compatible with VGA,SVGA,XGA, SXGA,UXGA.Low power-powered directly from most HDMI sources.Backward compatible with DVI-D interface.No software installation required.

Consumer Cable Series



Series:USB2.0 Repeater Cable

Exterior:PVC MOLDING

Spec:It's not passtive extension cable.

It's an active device.The USB signals going in and out of the extension cable are buffered to assure signal quality and the meeting of the USB is using passive cables for the purpose of extension will result in signal errors and is not recommended.

Color:Beige(Options)



Series:USB2.0 Repeater Cable

Exterior:PVC MOLDING

Spec:It's not passtive extension cable.

It's an active device.The USB signals going in and out of the extension cable are buffered to assure signal quality and the meeting of the USB is using passive cables for the purpose of extension will result in signal errors and is not recommended.

Color:Beige(Options)



Series:USB to Serial Adapter

Exterior:PVC MOLDING

Spec:Over 500kpbs data trasfer rate. It's power from the USB Connection-No power adapter required. Work with cellular phone, PDA, Digital Cameras and Modems.No IRQS, No IRQ conflicts.

Color:Black(Options)



Series:USB to Serial Adapter

Exterior:PVC MOLDING

Spec:Over 500kpbs data trasfer rate. It's power from the USB Connection-No power adapter required. Work with cellular phone, PDA, Digital Cameras and Modems.No IRQS,No IRQ conflicts.

Color:Black(Options)



Series:USB2.0 Easy Transfer Cable

Exterior:PVC MOLDING

Spec:Upgrade to a new computer is not easier.The Easy transfer cable offers a quick way to transfer your files and settings from your old computer to a new one.Just install the software provided on the enclosed CD onto your XP computer.

Color:Black(Options)



Series:USB2.0 To Ethernet Converter

Exterior:Plastic shell

Spec:Look for a quick & easy way to connect your USB laptop(or desktop) to your network.One end of this USB toEthernet cable plugs into your USB port(rather than a network card), while the other end connects to an RJ45 cable connected into your network. IEEE802.3u 10/100 base-T, TX and T4 compatible.Support both full-Duplex and half-Duplex operation on Fast Ethernet.

Color:Ivory-White(Options)



Series:USB Link Cable

Exterior:PVC MOLDING

Spec:Supports peer tp peer file transfer function PC-PC,Mac-Mac and PC-Mac USB interface. Up to 5Mbps data transfer rate single cable solution for data communication.Bus powered from either USB port.Support remote wake up.File synchronization.

Color:Black(Options)



Series:USB To Serial Adapter

Exterior:(Male and Female)

Spec:PVC Molding or plastic shell assembled over 500kpbs data transfer rate. Draws it's power from the USB Connection-NoPower adapter required. Work with cellular phone,PDA,Digital Cameras and Modems. No IRQ conflicts.

Color:Black(Options),Transparene Blue

4 EASY WAYS TO ORDER

1. TELEPHONE

Simply Call us on
01695 556251
Between 9am and 4pm for same day despatch of your order



2. FAX

Fax us on
01695 660380
24 hours a day, seven days a week



3. MAIL

Send your order to
Cablecom (UK) Ltd
The Old Barn, Grimshaw Road,
Skelmersdale, Lancashire, WN8 6BH



4. E-MAIL

E-Mail us at
sales@cablecomuk.com
24 hours a day, seven days a week



Cablecom (UK) Ltd

The Old Barn, Grimshaw Road,
Skelmersdale, Lancashire, WN8 6BH

Tel: 01695 556251 Fax: 01695 660380
E-Mail: sales@cablecomuk.com